
TAPERED HEAD JECTOR PUNCHES

-RW COATING-





Catalog No.		0.1mm increments	0.01mm increments	В	н	d1	d2
Туре	D	L	min. P max.	0	п	uı	uz
RW—TSSJAS RW—TSPJAS	8	50.0 ∼ 80.0	4.00 ~ 7.99	13	13	1.5	3.4
	10	55.0 ~ 90.0	$5.00\sim~9.99$		15	1.8	4.4
	13	65.0 ∼100.0	6.00 ~ 12.99		18	- 2.8	
	16		10.00 ~15.99		21		
RW-TSSJAL RW-TSPJAL	8	60.0 ~ 80.0	4.00 ~ 7.99	19 25	13	1.5	3.4
	10	60.0 ~ 90.0	5.00 ~ 9.99		18	1.8	4.4
	13	70.0 ~ 100.0	6.00 ∼12.99		15	2.8	
	16		10.00 ∼15.99		21		

 \P P>D-0.03···· ℓ =0 If P>D-0.03 for a round punch, D $_{-0.03}^{-0.01}$ (press-in lead) is not included. \P Jector holes are based on the jector punch blanks for heavy load. № **P.238**

Ord

Catalog No. — L — P

RW—TSSJAS 10 — 82 — P8.30





Days to Ship Quotation



Quotation









Features

- Tapered head jector punches are designed for punching of stainless steel, high-tensile steel, and for general heavy loads. The strength and convenience are superior to conventional heavy-load jector punches due to improvements to the following points.
- ①There is no side hole on the shank. Such a hole can be a cause of punch breakage during punching for heavy loads.
- ②A problem with conventional jector punches is that the tip length B is shortened if an LC alteration is used. However tapered head jector punches are designed to maintain the same tip length B for any L dimension.
- When used with the accessory taper rings, the tapered head jector punches eliminate the need for machining of tapered holes in the punch plates and for machining to align the thickness of the plate and punch head.
- Guide to tapered head punches ₱ P.1611


Note

- The head thickness tolerance of a tapered head punch, 8^{+0.03}_{+0.01}, is achieved by machining a match between the actual individual punch and its taper ring. Be sure to use a taper ring that has the same ID mark as the punch. If the punch is combined with a tapered ring that has a different ID number, the head thickness may deviate from the tolerance listed in the catalog.
- When a punch is replaced, replace both punch and taper ring as a set.
 (The punch and taper ring are not sold individually.)

■Effects of RW coating

Effective for press processing of ultra-high-tensile material and thick plate high-tensile material thanks to its superior wear resistance, peeling resistance and heat resistance.

See the product data for details. ■ P.1607



175